Google scholar   network-device "remote configuration"   - 2004   Searc

◉ Search only in Engineering, Computer Science, and Mathematics.
○ Search in all subject areas.

Scholar   All articles - Recent articles Results 1 - 90 of 90 for network-device "remote configuratio

Method and apparatus for remotely configuring a network device
FX Reichmeyer, JV Luciani, MB Squire - US Patent 6,286,038, 2001 - Google Patents
... 5 The present invention relates generally to the field of network computing and,
more specifically, to the **remote configuration** of a **network device** by the ...
Cited by 28 - Related articles - Web Search - All 2 versions

Method and apparatus for guided configuration of unconfigured network and internetwork devices
PA Hansen - US Patent 5,819,042, 1998 - Google Patents
... instructions contained in the second section of the configuration script to construct
a configuration file, suitable for upload to the **network device** to enable ...
Cited by 54 - Related articles - Web Search - All 4 versions

▶ Low-rate wireless personal area networks: enabling wireless sensors with IEEE 802.15. 4
JA Gutierrez, EH Callaway, R Barrett - 2004 - books.google.com
Page 1. Page 2. Low-Rate Wireless Personal Area Networks ...Enabling Wireless Sensors
with IEEE 802.15.4™ Jose A. Gutierrez Edgar H. Callaway, Jr. ...
Cited by 70 - Related articles - Web Search - Library Search

Challenges for efficient communication in underwater acoustic sensor networks- ▶ virginia.edu [PDF]
IF Akyildiz, D Pompili, T Melodia - ACM Sigbed Review, 2004 - portal.acm.org
... **remote configuration** and interaction with onshore human operators ... In fact, every
network device usually takes part in a collaborative process whose objective is ...
Cited by 74 - Related articles - Web Search - All 8 versions

Architecture for supporting service level agreements in an IP network
EJ Ellesson, RA Guerin, SD Kamat, A Krishna, R ... - US Patent 6,459,682, 2002 - Google Patents
... 3. **Network Device** configuration: In the event that the resource management protocols
at various network devices are capable of **remote configuration** then the ...
Cited by 14 - Related articles - Web Search - All 2 versions

Configuration manager for network devices and an associated method for providing configuration ...
PA Hansen - US Patent 5,838,907, 1998 - Google Patents
... Examiner—Dzung Nguyen Attorney, Agent, or Firm—Beyer & Weaver, LLP [57] ABSTRACT
A configuration manager for configuring a **network device** remotely coupled ...
Cited by 47 - Related articles - Web Search - All 2 versions

System and method for managing actions provided by a network using a policy tree
DM Durham, RJ Fenger, RS Yavatkar - US Patent 6,601,082, 2003 - Google Patents
... The intelligent network is built around a set of new network services such as Quality
of Service, multipoint communication, **remote configuration** and software ...
Cited by 11 - Related articles - Web Search - All 2 versions

Method and system for remote and local mobile network management
S Sharma, H Truong - US Patent App. 09/731,420, 2000 - Google Patents
... is often accomplished at a management station physi- cally remote from the **network
device**. ... [0025] The ability to perform **remote configuration** man- agement of ...
Cited by 4 - Related articles - Web Search - All 4 versions

Computer system and computer-implemented process for simultaneous configuration and monitoring of a ...

B Harsham, L Jain - US Patent 6,041,347, 2000 - Google Patents

... Each **network device**, computer, or groups of network devices and computers ... a pn7 {
public: int RemoteEnable; // required for **remote configuration** DListo<CString ...

Cited by 19 - Related articles - Web Search - All 2 versions

Prioritized data capture, classification and filtering in a network monitoring environment

M Moran, T Liubinskas, J Goral - US Patent 6,633,835, 2003 - Google Patents

Page 1. US006633835B1 (12) United States Patent Moran et al. (io) Patent
No.: US 6,633,835 BI (45) Date of Patent: Oct. 14,2003 (54 ...

Cited by 6 - Related articles - Web Search - All 2 versions

Network connectable device and method for its installation and configuration

T Ylonen - US Patent App. 10/846,614, 2004 - Google Patents

... but the corresponding functions are equal in a management station, although during
the **remote configuration** of a newly added **network device** they take place in ...

Cited by 3 - Related articles - Web Search - All 4 versions

Automatic web-based detection and display of product installation help information

V Lortz - US Patent 6,505,243, 2003 - Google Patents

... If 204 there was a link to remote data, or such data was known 206, then the **remote
configuration** information is retrieved 208 from its remote location. ...

Cited by 2 - Related articles - Web Search - All 2 versions

... that uses connection rules to produce a configuration file or map for configuring a **network device**

PA Hansen - US Patent 6,772,204, 2004 - Google Patents

... APPARATUS OF PROVIDING A CONFIGURATION SCRIPT THAT USES CONNECTION RULES TO PRODUCE
A CONFIGURATION FILE OR MAP FOR CONFIGURING A **NETWORK DEVICE** (75) Inventor ...

Cited by 2 - Related articles - Web Search - All 2 versions

Redundant control architecture for a **network device**

SN Barbas, JC Schwalbe - US Patent App. 10/011,511, 2001 - Google Patents

... 25,2002 (54) REDUNDANT CONTROL ARCHITECTURE FOR A **NETWORK DEVICE** (75) Inventors:
Steve N. Barbas, Billerica, MA (US); James C. Schwalbe, Londonderry, NH (US ...

Cited by 1 - Related articles - Web Search - All 4 versions

Method and system for selecting a master controller in a redundant control plane having plural ...

RJ Walsh, SN Barbas, JF Friend - US Patent App. 09/999,156, 2001 - Google Patents

... Int. Cl.7 H04L 1/22 (52) US Cl 714/10 (57) ABSTRACT A system and method
for configuring a control plane within a **network device**. ...

Cited by 2 - Related articles - Web Search - All 4 versions

Java for network management applications

NJ Muller - International Journal of Network Management, 1998 - interscience.wiley.com

... Automating and simplifying **remote configuration** for all kinds of devices, even desktops ...
hubs, mul- tiplexers, CSU/DSUs—virtually any **network device**—can be ...

Cited by 1 - Related articles - Web Search - BL Direct - All 2 versions

Design and synthesis of direct connected network devices controller

O Elkeelany, G Chaudhry - ASIC/SOC Conference, 2002. 15th Annual IEEE International, 2002 - ieeexplore.ieee.org

... this work presents a DCNDC design to connect a **network device** to Ethernet LAN ... and
simplify assignment of various DCNDC addresses and allow **remote configuration**. ...

Cited by 1 - Related articles - Web Search

Method and system for **remote configuration** of network devices

S Bernhard, T Stephan, C Fischer, J Smilek, M ... - US Patent App. 10/720,073, 2003 - Google Patents
... for **remote configuration** of heterogeneous network devices from a centralized location.
According to the present invention, each **network device** participates in ...
Web Search

Configuring network devices

GR Engel, G Purdy - US Patent App. 09/891,712, 2001 - Google Patents
... set of network configuration parameters include means for executing a **remote configuration** applet that notifies the configuration server of the **network device**. ...
Web Search - All 2 versions

Device plug-in system for configuring network device over a public network

MA Beadles, WS Emerick, KA Russo, KE Mulh, RJ Bell - US Patent App. 10/219,091, 2002 - Google Patents
... 0037128 AI DEVICE PLUG-IN SYSTEM FOR CONFIGURING **NETWORK DEVICE** OVER A ... control of
communication networks and, in particular, to **remote configuration** of network ...
Related articles - Web Search - All 3 versions

AUTOMATED ESTABLISHMENT OF ADDRESSABILITY OF A NETWORK DEVICE FOR A TARGET NETWORK ENVIRONMENT

V Robison, D Pang, K Burnett - EP Patent 1,430,696, 2004 - freepatentsonline.com
... a **remote configuration** database, the method further comprising: up loading
configuration data for the **network device** into the **remote configuration** database ...
Web Search - All 5 versions

Method and apparatus for remotely configuring network devices

FJ Wood, O Borowski - US Patent App. 10/962,315, 2004 - Google Patents
... using a software plug- in for the appropriate physical **network device** 12. ... in is a
software module written according to the **remote configuration** capa- bilities ...
Web Search - All 2 versions

Device and network management for PDAs: an SNMP-manager for thePalm OS

W Kastner, M Kunes - 2002 IEEE 4th International Workshop on Networked Appliances ..., 2002 - ieeexplore.ieee.org
... that should be provided at least in parts by every **network device** ... authentication,
authorization that is also suitable for **remote configuration** and admini ...
Related articles - Web Search

Computer program product for configuring network devices and an associated method for providing ...

PA Hansen, P It - 2002 - freepatentsonline.com
... which is suitable for identifying said **network device** (26) wherein the bootptab
file is used to assist with **remote configuration** of the **network device**; in that ...
Web Search - All 2 versions

SynqNet: high performance motion control based on ethernet

M Matheson - Computing & Control Engineering Journal, 2004 - ieeexplore.ieee.org
... the IEEE 1394 standard defines an interface at the **network device** driver level. ... &
Remote configuration Remote diagnostics Management took Configuration tools ...
Cited by 1 - Web Search - BL Direct - All 3 versions

Configuration manager for network devices and an associated method for providing configuration ...

PA Handen, P It - 1997 - freepatentsonline.com
... 10 may also construct a **network device** configuration file suitable for export to
the **network device** itself. In this manner, **remote configuration** of network ...
Web Search - All 4 versions

Configurable interface

J Clough - US Patent App. 10/461,808, 2003 - Google Patents
... For example, where **network device** 12 is a printer or other image forming ... Printing

related services could be services that enable **remote configuration** of print ...
Web Search - All 2 versions

System and method for providing data content analysis in a local area network
EA Walter - US Patent App. 10/682,366, 2003 - Google Patents
... user to circumvent the protections of software agents on the user's **network device**. ...
a distribution network for pro- viding **remote configuration** and updating of ...
Web Search - All 2 versions

Method and apparatus for automatic configuration and management of a virtual private network
J Drabik - US Patent App. 10/460,518, 2003 - Google Patents
... provides a method and an apparatus for a pseudo-network interface which appears
to client computing hardware as a conven- tional **network device** but which ...
Web Search - All 2 versions

MODULAR OPTICAL NETWORK NODE
C Scheerer, J Elbers, C Glingener - EP Patent 1,304,013, 2003 - freepatentsonline.com
... by virtue of the modular optical network node a **network device** is able ... the devices
for adapting the power levels is possible by means of **remote configuration**. ...
Web Search - All 5 versions

Digital Gateways for Multimedia Home Networks
T Zahariadis, V Lawrence, N Zervos, A Meliones - Telecommunication Systems, 23, 2003 - ingentaconnect.com
... eg, serial, USB, PCMCIA, IrDA), (ii) the **network device** drivers that ... maintenance
and troubleshooting, a SNMP-based for **remote configuration** and maintenance ...
Related articles - Web Search

Internet-enabled embedded device
M Tosic, G Djordjevic, S Stefanovic, P It - 2001 - freepatentsonline.com
... application above (outgoing packets) and from a **network device** below (incoming ... second
level provides for auto and **remote configuration**, for interoperability ...
Web Search - All 5 versions

Modular optical network node
JP Elbers, C Glingener, C Scheerer - US Patent App. 10/343,271, 2003 - Google Patents
... by virtue of the modular optical network node a **network device** is able ... the devices
for adapting the power levels is possible by means of **remote configuration**. ...
Web Search - All 2 versions

Centralized electronic safe and accounting control system
MJ Smith, J Bosch, R Thurman, ME Thomas, RR ... - US Patent App. 09/825,912, 2001 - Google Patents
Page 1. US 20020147598A1 (19) United States (12) Patent Application Publication
(io> Pub. NO.: US 2002/0147598 Al Smith et al. (43) Pub. Date: Oct. ...
Web Search - All 6 versions

Device configuration in a distributed environment
R Sesek, CL Struble - US Patent App. 09/859,856, 2001 - Google Patents
... 0001] The present invention is directed to **network device** configuration ... While this
allows **remote configuration**, it requires the administrator to manually browse ...
Web Search - All 2 versions

Auto-Configuration of Cisco Routers with Application Software
AB Prado - 2003 - Storming Media
Page 1. MONTEREY, CALIFORNIA THESIS AUTO-CONFIGURATION OF CISCO ROUTERS WITH
APPLICATION SOFTWARE by Alexandre Barcellos Prado September 2003 Thesis Advisor: ...
Web Search - Library Search - All 2 versions

Methods, systems and computer program products for communicating with unconfigured network devices ...

DE Poirier, BC Vashaw - US Patent App. 09/832,543, 2001 - Google Patents
... 52) US Cl 709/227; 709/220; 709/245 (57) ABSTRACT Methods, system and computer program products for estab- lishing a connection to a **network device** which does ...
Web Search - All 4 versions

Method and system for configuring a computer
A Pennarun - US Patent App. 10/417,153, 2003 - Google Patents
... The configura- tion information can direct the specific computer to obtain a particular OS distribution stored on a **network device** coupled to the computer. ...
Web Search - All 2 versions

Copying configuration settings between electronic devices
ST Gase, J Clough, DJ Wiegley, BW Stollfus, P It - 2001 - freepatentsonline.com
... This invention generally relates to **remote configuration** of electronic devices. ... of configuration parameters and settings, the new **network device** cannot be ...
Web Search - All 3 versions

Intelligent secure data manipulation apparatus and method
JA Chun, SDH Hsu, JN Hormuzdiar - US Patent App. 09/956,730, 2001 - Google Patents
... The apparatus 12 may be physi- cally implemented in one **network device** in one embodi- ment, or several distinct dedicated network appliance devices may be ...
Web Search - All 6 versions

ENCRYPTION BASED SECURITY SYSTEM FOR NETWORK STORAGE
D Avida, S Plotkin - EP Patent 1,388,061, 2004 - freepatentsonline.com
... preferred embodiment of the invention comprises a **network device** that resides ... The user can disable **remote configuration** KeyGeneration Master Key-generated at ...
Web Search - All 5 versions

Method and system for implementing and managing a multimedia access **network device**
BF Young, NG Allen, DM Hurwit - US Patent App. 10/268,024, 2002 - Google Patents
... Date: May 15,2003 (54) METHOD AND SYSTEM FOR IMPLEMENTING AND MANAGING A MULTIMEDIA ACCESS **NETWORK DEVICE** (76) Inventors: Bruce Fitzgerald Young, San Jose, CA ...
Web Search - All 4 versions

System and method providing distributed welding architecture
GD Blankenship, C Hsu, ED Hillen - US Patent 6,624,388, 2003 - Google Patents
Page 1. US006624388B1 (12) United States Patent Blankenship et al. (io) Patent No.: US 6,624,388 BI (45) Date of Patent: Sep. 23,2003 ...
Cited by 4 - Related articles - Web Search - All 7 versions

Method and system for restricting DHCP servers
SC Chu, RA Dayan, JL Matlock, DB Rhoades - US Patent App. 10/675,624, 2003 - Google Patents
... An operating system (O/S) 236 includes a **network device** driver 234, which ... DHCP servers 230 are preferably under the control of a **remote configuration** server or ...
Web Search - All 4 versions

Computer networks
TW Tuck, R Singh - US Patent App. 10/480,391, 2003 - Google Patents
... a HTTP request by an unregis- tered user to a **remote configuration** web page for ... link address, wherein the system includes at least one **network device** which is ...
Web Search - All 2 versions

[PDF] ▸ Extending Network Management Through Firewalls
S Hochstetler, H Tanner, R Kulkarni, S Mika - 2001 - redbooks.ibm.com
Page 1. ...
Cited by 1 - Related articles - View as HTML - Web Search - All 4 versions

Method and apparatus for storing and retrieving performance data collected by a network interface ...

KT Pope, MA Wright, DA Strich, PR Hartmann, ET ... - US Patent 6,091,712, 2000 - Google Patents
Page 1. United States Patent Pope et al. US006091712A [ii] Patent Number:
[45] Date of Patent: 6,091,712 Jul. 18,2000 [54] METHOD ...
Cited by 7 - Related articles - Web Search - All 2 versions

Secure remote management appliance
JA Carley - US Patent App. 10/461,827, 2003 - Google Patents
... 18,2003 Sheet 8 of 41 US 2003/0233583 Al m- Remote Administrator **Network Device**
Application Connection Vx Virtual Terminal Connection SSH/SSL \\ Fig. 8 Page 10. ...
Related articles - Web Search - All 5 versions

Method and apparatus for increasing the functionality and ease of use of lights out management in a ...
DA Reeves, C Davenport, ED Neufeld - US Patent App. 10/037,684, 2002 - Google Patents
... The process 300 may then allow the user 106 to select another **network device**, or
the process 300 may proceed to end the management session for the server 20 ...
Web Search - All 3 versions

[BOOK] High performance data network design: design techniques and tools
T Kenyon - 2002 - books.google.com
Page 1. Tony Kenyon Digital Pres Performance Data Network Design Page 2.
Page 3. High-Performance Data Network Design Page 4. Related ...
Cited by 4 - Related articles - Web Search - Library Search - All 10 versions

Managing a wireless platform
C Bahr, PL Reilly - US Patent App. 10/330,654, 2002 - Google Patents
... In the embodiment of FIG. 1A, these remote sites may include, for example, a remote
maintenance site 170 and a **remote configuration** manager 172. ...
Web Search - All 4 versions

[PDF] ≫ Internet network services management framework
B Dias, A Santos, F Boavida - 10th IEEE International Conference on Networks, 2002. ICON ..., 2002 -
cisuc.dei.uc.pt
... SMF definition is not the future implementer on the **network device**, so the ... service
using high level tools that would permit: − **Remote configuration** by means ...
Cited by 1 - Related articles - View as HTML - Web Search - All 4 versions

Managing Dial-up with the OSI 821
D Endyke - International Journal of Network Management, 1992 - interscience.wiley.com
... fallback char F1 main AT cmds F2 AT 0 cmds F3 S-regs F7 dbu line F8 slave
conf Esc quit Figure 6. Display **Remote Configuration**. of a ...
Web Search

Secure SNMP-Based Network Management in Low Bandwidth Networks- ≫ vt.edu [PDF]
HE Hia - 2001 - scholar.lib.vt.edu
Page 1. Secure SNMP-Based Network Management in Low Bandwidth Networks H.
Erik Hia Thesis submitted to the Faculty of the Virginia ...
Related articles - View as HTML - Web Search - All 2 versions

Computer system, method and network
L Persson, M Lofstrand - US Patent App. 10/441,930, 2003 - Google Patents
... broadband" and "narrowband" are used in the fore- going sense in this description
and do not relate to the data handling capacity of a network or **network device** ...
Web Search - All 2 versions

System, method and computer program product for network resource processing
WR Murray, ME Woods... - US Patent App. 10/719,685, 2003 - Google Patents
... in response to a processing control from the user **network device**, on the ... party forward
the link on their behalf to a **remote configuration**/processing process. ...
Web Search - All 5 versions

Method for providing security to a computer on a computer network
DC Challener, RA Dayan, PE Newman - US Patent 6,823,463, 2004 - Google Patents
... filled in by the 45 client services software or the **network device** driver ... personal
computer system over a computer network such that **remote configuration** of the ...
Related articles - Web Search - All 2 versions

Seismic source controller and display system
T Kimura, E Coste - US Patent App. 10/965,045, 2004 - Google Patents
... seismic survey computer systems and boat-side seismic survey computer systems do
not include functionality for enabling **remote configuration** or modification of ...
Web Search - All 4 versions

NETWORK-SUPPLIED SELECTABLE SOUND-DATA FOR TIME IDENTIFICATION
BB Elliott - US Patent App. 09/748,047, 2000 - Google Patents
... In general, in another aspect, the invention features a **network device** for playing ...
The instructions 126 may also permit **remote configuration** of the device 102 ...
Web Search - All 2 versions

[BOOK] Data networks: routing, security, and performance optimization
T Kenyon - 2002 - books.google.com
Page 1. Tony Kenyon Digital Press at Networks Routing, Security, and
Performance Optimization Page 2. Page 3. Data Networks Page 4. ...
Cited by 7 - Related articles - Web Search - Library Search - All 10 versions

Distributed protocol framework
H Szwerinski, G Yatin, A Sanghvi - US Patent 5,517,668, 1996 - freepatentsonline.com
... 395/200, Local area **network device** startup process. ... The remote reference consist
of the actual driver name used by the **remote configuration** manager. ...
Related articles - Web Search - All 5 versions

[BOOK] Implementing security for ATM networks
TD Tarman, EL Witzke - 2002 - books.google.com
Page 1. D1D1D1 AR LI1D1D1D1D1D1, COMPUTER SECURITY
SERIES •; • .. _• mpiemenung • li ...
Cited by 3 - Related articles - Web Search - Library Search

[BOOK] Troubleshooting campus networks: practical analysis of Cisco and LAN protocols
P Oppenheimer, J Bardwell - 2002 - books.google.com
Page 1. Troubleshooting Campus Networks Practical Analysis of Cisco and LAN
Protocols Page 2. Page 3. Troubleshooting Campus Networks ...
Cited by 3 - Related articles - Web Search - Library Search - All 2 versions

Relational model for management information in network devices
J van de Groenendaal, A Chakraborty - US Patent App. 10/786,863, 2004 - Google Patents
... change management, inventory asset management, copy configuration, **remote configuration**,
job initiation ... applications use to access a **network device** or other ...
Web Search - All 4 versions

System and method for use of mobile policy agents and local services, within a geographically ...
WS Greene - US Patent App. 10/913,887, 2004 - Google Patents
... Limited **remote configuration** of the application is possible through sending
XML meta-data to the application adjacent to the reader. ...
Web Search - All 2 versions

Security in data networks
SE Forrester - BT Technology Journal, 1998 - Springer
Page 1. BT Technol J Vol 16 No 1 January 1998 52 Security in data networks
S Forrester, M Palmer, D McGlaughlin and M Robinson The ...
Cited by 5 - Related articles - Web Search - BL Direct - All 4 versions

[PDF] ≫ Deploying Secure SNMP in Low Data Rate Networks
HE Hia, S Midkiff - Office of Naval Research, Navy Collaborative Integrated ..., 2000 - irean.vt.edu
... application-to-application. • Provides fine-grained, **remote configuration**
of user access to SNMP capabilities. By incorporating ...
Cited by 2 - Related articles - Web Search

Management and control of distributed multimedia devices and streams through object-oriented ...
R Eberhardt, C Rue, J Metzler - ... Communications: Convergence of Network Technologies: IFIP ..., 1999 -
books.google.com
... the native code then forwards the data to the corresponding **network device**. ... of a
management application that allows the **remote configuration** and management of ...
Cited by 1 - Related articles - Web Search - All 2 versions

A prototype of WideBand/Ethernet bridge using WEMAC
O Elkeelany, G Chaudhry - Circuits and Systems, 2002. MWSCAS-2002. The 2002 45th ..., 2002 -
ieeexplore.ieee.org
... prototype design to connect Ethernet LAN and a **network device**, through fast ... and simplify
assignment of various WEMAC addresses and allow **remote configuration**. ...
Cited by 1 - Related articles - Web Search - BL Direct

[PDF] ≫ Dynamic Service Provisioning in IP Networks
I Khalil - 2003 - iam.unibe.ch
... 137 7.6 Modeling a Configuration Element in a **Network Device** 138 7.7
Example of Modeling a Composite Configuration Element . . . .
Cited by 2 - Related articles - View as HTML - Web Search - All 5 versions

[PDF] ≫ Domain based metering
R Párhonyi, BJ van Beijnum - 2000 - doc.utwente.nl
... The **network device** collects resource consumption data in the form of accounting ...
distribution of NeTraMet and it is used for **remote configuration** and management ...
Cited by 1 - Related articles - Web Search - Library Search - All 14 versions

[PDF] ≫ The Net-SNMP Programming Guide
B Rockwood - Nov 17th, November, 2004 - cuddletech.com
... Looking at traps deeper, a **network device** such as a router can be configured ... a new
message format, ACL and security abilities, and **remote configuration** of SNMP ...
View as HTML - Web Search

Object-oriented routing
R Narayanan, R Patchet, P Brockmann - US Patent App. 10/083,319, 2001 - Google Patents
... thereby permitting the object router to be a self-programming **network device**. ... Such
a **remote configuration** enables the creation of so-called "thin" routers that ...
Web Search - All 2 versions

Digital Gateways for Multimedia Home Networks
V Lawrence, N Zervos, T Zahariadis, A Meliones - Telecommunication Systems, 2003 - Springer
... eg, serial, USB, PCMCIA, IrDA), (ii) the **network device** drivers that ... maintenance
and troubleshooting, a SNMP-based for **remote configuration** and maintenance ...
Cited by 3 - Related articles - Web Search - BL Direct

Notification method that guarantees a system manager discovers an SNMP agent
JL Barrett, SC Chu, DJ Doria, CC Gaskins, JF Macon ... - US Patent 6,633,909, 2003 - Google Patents
... 1998, "Secure **Remote Configuration** for Networked Com- puter Systems," pp ... Each node
is a **network device**, often a computer, ie, a data processing system which is ...
Cited by 1 - Related articles - Web Search - All 2 versions

[PDF] ≫ Application MIBs for Network Operation Centers Collaborative Management
A Bordetsky, D Dolk, G Zolla - CIST, INFORMS, 2003 - nps.navy.mil
... before", namely in the bowels of a **network device** itself. ... Configuration management

facilitates the **remote configuration** of network software, interfaces and **...**
Cited by 1 - Related articles - View as HTML - Web Search - All 2 versions

Remotely controlled boot settings in a server blade environment
A Abbondanzio, GW Dake, WJ Piazza, GB Pruett, DB ... - US Patent App. 10/064,012, 2002 - Google Patents
... as the Internet through a gateway (not depicted) or other suitable **network device**. **...**
interconnect 136, in addition to enabling the **remote configuration** of CMOS **...**
Related articles - Web Search - All 4 versions

Automated and embedded software reliability measurement and classification in network elements
S Song, J Huang - US Patent App. 10/762,087, 2004 - Google Patents
... Sheet 6 of 19 US 2004/0153835 AI 88 -90 **REMOTE CONFIGURATION** DOWNLOAD CONFIGURATION **...**
One technique monitors a **network device's** reboot reason via Simple Network **...**
Web Search - All 6 versions

Displaying network properties in a graphical user interface
KL Porter - US Patent App. 10/900,889, 2004 - Google Patents
... Although some hardware may use proprietary interfaces for **remote configuration** access,
it more **...** used for transferring network data over a **network device** (eg, an **...**
Web Search - All 2 versions

Intergrated, High-performance, low-cost spread spectrum data access system and method
KJ Gerard - US Patent App. 10/053,850, 2002 - Google Patents
Page 1. US 20030138029A1 (19) United States (12) Patent Application Publication
(io> Pub. NO.: US 2003/0138029 AI Gerard (43) Pub. Date: Jul. **...**
Web Search - All 2 versions

[PDF] ▶ Study of Tools for Network Discovery and Network Mapping
S Bantseev, I Labbe, COMMUNICATIONS RESEARCH ... - 2003 - pubs.drdc.gc.ca
Page 1. Study of Tools for Network Discovery and Network Mapping Sergei Bantseev
and Isabelle Labbé Communications Research Centre Prepared by: **...**
Related articles - Web Search - Library Search - All 3 versions

[BOOK] Planning and architectural design of modern command control communications and information systems
AN Ince - 1997 - books.google.com
Page 1. Planning and Arehitectural Design ofModern Command Con trol Communications
and Inforination Systeins A. Nejat Ince Gem Evrendilek Dag Wilhelmsen **...**
Cited by 4 - Related articles - Web Search - Library Search

Peer-to-peer network heartbeat server and associated methods
V Falco, D Nicponski, S Darwin - US Patent App. 10/881,570, 2004 - Google Patents
... present invention, the con- figuration agent resides on a **network device** (such as **...**
0037] In addition, the heartbeat server includes **remote configuration** features **...**
Web Search - All 2 versions

Method and apparatus for configuring icon interactivity
LA Shulman, JA Shiller, I German, E Schneider - US Patent App. 09/725,635, 2000 - Google Patents
... personal digital assistants (PDAs), or substantially any **network device** not acting **...**
utilized for messaging, trending, and/or **remote configuration** and monitoring **...**
Web Search - All 2 versions

Defense Information Warfare Technology Applications (DIWTA) Automated Intrusion Detection ...
P Denno - 2004 - Storming Media
Page 1. AFRL-IF-RS-TR-2004-278 Final Technical Report November 2004 DEFENSIVE
INFORMATION WARFARE TECHNOLOGY APPLICATIONS (DIWTA) AUTOMATED INTRUSION
DETECTION **...**
Web Search - Library Search - All 2 versions

The problematic of distributed systems supervision-an example: Genesys- ➤ lip6.fr [PDF]
JE Bohdanowicz, S Wesner, L Kovacs, H Heimer, A ... - Information Technology: Selected Tutorials: IFIP 18th World ..., 2004 - Springer
... built on a CORBA compliant middleware, it is more dedicated to distributed system administration : software distribution, **remote configuration**, remote control ...
Cited by 1 - Related articles - Web Search - All 7 versions

System and method of network independent **remote configuration** of internet server appliance
D Pham, N Pham, T Le Nguyen - US Patent 6,629,145, 2003 - Google Patents
... parameters of a communications network to enable further **remote configuration** exclusively via ... obtain the list of PHYS_ADDR of all **network device** with ipAddress ...
Cited by 1 - Related articles - Web Search - All 2 versions

Method and apparatus for distributed systems management
R Krupczak - US Patent App. 10/055,426, 2002 - Google Patents
... A subset of the configuration data may describe network resources con- sumed and provided by each **network device**, such as network addresses for the resource ...
Web Search - All 6 versions

[PDF] ➤ Service Discovery for Personal Networks
L Wu, W Payer, S Rupp - Degree of Master of Science of Stuttgart University, 2004 - linecity.de
Page 1. Service Discovery for Personal Networks A Thesis Report Presented to the INFOTECH Program of University of Stuttgart in Partial ...
Cited by 1 - Related articles - View as HTML - Web Search - All 2 versions

[PDF] ➤ Remote Control And Monitoring Via Internet On Distributed Data Acquisition
ZM HANAPI... - 2004 - psasir.upm.edu.my
Page 1. REMOTE CONTROL AND MONITORING VIA INTERNET ON DISTRIBUTED DATA ACQUISITION By ZURINA MOHD HANAPI Thesis Submitted to the ...
Related articles - Web Search - All 2 versions

Key authors: **P Hansen** - **J Gutierrez** - **I Akyildiz** - **F Reichmeyer** - **J Luciani**

.

network-device "remote configuratic [Search]

.

Go to Google Home - About Google - About Google Scholar

©2009 Google